

03412 Prestressed Concrete**03412** Standard Specification**Related Items:** N/A

Type of Construction: Prestressed Concrete**Submittals:****Quality Assurance:** Fabricators must be pre-qualified by Materials Division through the Quality Management Plan: Reinforcing Steel. Select from Materials Division list of pre-qualified sources.**Assurance Frequency:** N/A**Point of Acceptance:** Prequalified Source**Out of Spec Action:** Rejection of product and possible removal from pre-qualified source list.**Documentation/Report:**

Type of Construction:**Submittals:****Quality Assurance:** Test Report**Assurance Frequency:** Issued by Central Lab based on tests performed prior to shipment. A test report will accompany the shipment. All pretested material will be tagged with an orange UDOT sticker.**Point of Acceptance:** Fabricators Plant**Out of Spec Action:** Rejection**Documentation/Report:**

Type of Construction: Concrete**Submittals:****Quality Assurance:** Per Section 03055 except as follows. Mix Design (Trial Batches) must be submitted and approved by the Materials Division each new calendar year.**Assurance Frequency:** N/A**Point of Acceptance:** N/A**Out of Spec Action:** Rejection**Documentation/Report:**

Related Items: 03310 Structural Concrete, 03211 Reinforcing Steel, 05120 Elastomeric**Type of Construction:****Submittals:****Quality Assurance:** Visual Inspection**Assurance Frequency:** Each Girder**Point of Acceptance:** Project Site**Out of Spec Action:** Rejection**Documentation/Report:**